

Work Order ID 94037

\*94037\*

Page 1

November-30-12 8:22:01 AM

Item ID: D4151-7

Accept

\*N900040100\*

Setup Start \*NS1\*

Revision ID:

Stop \*NS2\*

Item Name: Fwd Eyebolt Receiver (Upper)

Start Date: 12/07/12 Start Qty: 8.00

\*8\*

Cust Item ID:

Required Date: 12/07/12 Req'd Qty: 8.00

\*8\*

Customer:

Reference:

Run Start \*NR1\*

Approvals: Process Plan: MLJ Date: 12-12-03

Tooling:

Date:

Stop \*NR2\*

QC:

Date:

SPC (Y/N):

Date:

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D4151	C								
100		0.00							
*100*									
Bandsaw	Memo	0.00							
Jeaspa Bandsaw	Cut blank to 2.960" long								
110		0.00							
*110*									
HAAS 1	Memo	0.00							
HAAS CNC vertical machine #1	1-MILL as per folio FA952 & dwg, FOLIO REV: <u>C</u> DWG REV: <u>C</u> 2-Deburr as required								

FK 12/12/22

Work Order ID 94037

\*94037\*

Page 2

November-30-12 8:22:01 AM

Item ID: D4151-7 Accept \*N9000040100\* Setup Start \*NS1\*  
 Revision ID: Stop \*NS2\*  
 Item Name: Fwd Eyebolt Receiver (Upper)

Start Date: 12/07/12 Start Qty: 8.00 \*8\* Cust Item ID:  
 Required Date: 12/07/12 Req'd Qty: 8.00 \*8\* Customer:

Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_ Run Start \*NR1\*  
 QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_ Stop \*NR2\*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120	QC2- Inspect parts off machine FAI/FAIB	0.00							
*120*									
QC	Memo	0.00				8	0		
Quality Control									
130	QC8- Inspect parts - second check	0.00							
*130*									
QC	Memo	0.00							
Quality Control									
140	Identify as per dwg & Stock Location: <i>ST 145</i>	0.00							
*140*									
Packaging	Memo	0.00							
Packaging									

DAS  
25  
12-12-21

*fx* *SP*  
13-01-03

Work Order ID 94037

\*94037\*

Page 3

November-30-12 8:22:01 AM

Item ID: D4151-7

Accept

\*N900040100\*

Setup Start \*NS1\*

Revision ID:

Stop \*NS2\*

Item Name: Fwd Eyebolt Receiver (Upper)

Start Date: 12/07/12 Start Qty: 8.00

\*8\*

Cust Item ID:

Required Date: 12/07/12 Req'd Qty: 8.00

\*8\*

Customer:

Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

Run Start \*NR1\*

QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Stop \*NR2\*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150	QC21- Final Inspection - Work Order Release	0.00							
*150*									
QC	Memo	0.00							
Quality Control									

U 13-01-03

# Picklist Print

November-30-12 8:22:01 AM

Page 1

Work Order ID: 94037

Parent Item: D4151-7

Parent Item Name: Fwd Eyebolt Receiver (Upper)

Start Date: 12/07/12

Required Date: 12/07/12

Start Qty: 8.00


Required Qty: 8.00

Comments: IPP REV:A NEW ISSUE 10-07-22 JLM VERIFIED BY:DD  
revC DD verf:JLM IPP Rev:B 11.01.21 as per dwg


Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M303B2.000X1.750 303 BAR 2" X 1.750"		Purchased	No			100	f	18.4610	0.26	2.1894736 <del>2.000</del>		12/12/21	
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				MAT050		18.460963							
				118535		0.405263							
				121766		0.363							
				121921		17.6927							
										<u>2.000</u>			

## FIRST ARTICLE INSPECTION CHECKLIST

Rev	Date	Change	Revised by	Approved
A	10.08.04	New Issue	KJ	
B	10.08.25	Tolerance revised for dimension 0.800	KJ	
C	11.07.26	Dimensions revised per Dwg Rev C	KJ	M



**D4151-041 BASKET FWD HARDPOINT ASSY (LOWER)**



**D4151-043 BASKET FWD HARDPOINT ASSY (UPPER)**

ITEM	QTY -041	QTY -043	P/N	DESCRIPTION
	X		D4151-041	BASKET FWD HARDPOINT ASSY (LOWER)
		X	D4151-043	BASKET FWD HARDPOINT ASSY (UPPER)
1	2		D4151-1	LOWER HARDPOINT PLATE
2		2	D4151-3	UPPER HARDPOINT PLATE
3	1		D4151-5	FWD BASKET INSTL STUD (LOWER)
4		1	D4151-7	FWD EYEBOLT RECEIVER (UPPER)
5	2	2	AN4C13A	BOLT
6	2	2	MS21043-4	NUT
7	4	4	NAS1149C0432R	WASHER

SHOWN IN  
REVISION  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO CHANGE  
WITHOUT NOTICE  
WORK ORDER  
NO. 94037 MLC

12-12-03

RELEASED  
2011-01-08

**NOTES:**

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4151-04X" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT:
  - D4151-041 = 0.88 lbs
  - D4151-043 = 1.17 lbs

C	AMM HARDWARE WAS AN3 (B6-1, C3-1 & D3-1), Ø0.252 WAS Ø0.181 (C5-2, D1-2), TIGHTENED TO 1,000 INCH (C5-2, D1-2, C7-3, C3-3), Ø0.250 WAS Ø0.181 (C8-3, B4-3), 1.43 WAS 1.75 (C1-2), 2.04 WAS 2.78 (B3-3) AND 1.88 WAS 1.80 (C1-3) TO PRESERVE 1.50X. REASON: SEE D407-197 DESIGN JOURNAL.	MB	10.12.14
B	ADDED D4151-5/7 (SHT 3); D4151-5 WAS D3911-1 (ZN B6-1 & D3-1); D4151-7 WAS D3911-3 (ZN C4-1 & C3-1) ITEMS #6, #6 & 7 REPLACE MS20015-4-AN20 (ZN C3-1, D3-1 & B6-1); Ø0.191 2 PL REPLACES Ø0.129 3 PL (ZN C5-2), Ø0.191 2 PL REPLACES Ø0.129 4 PL (ZN D1-2). REASON: SEE TR-0350-007-2 REV. 8.	MB	10.07.05
A	NEW ISSUE	MB	10.06.22
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED	SC		
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	10.12.14		

**DART AEROSPACE LTD**  
HAWKESBURY, ONTARIO, CANADA

DRAWING NO.

D4151

REV. C

SHEET 1 OF 3

TITLE

BASKET FWD HARDPOINT



SCALE

NTS



COPYRIGHT © 2010 BY DART AEROSPACE LTD

THIS DOCUMENT IS UNCLASSIFIED AND IS AVAILABLE FOR REPRODUCTION WITHOUT FEE. IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

94032



**D4151-1 LOWER HARDPOINT PLATE**



**D4151-3 UPPER HARDPOINT PLATE**



RELEASED  
2011-01-18  
JMD

**NOTES:**

- 1) MATERIAL: 303/304/316 STAINLESS STEEL SHEET ANNEALED 2B, 0.125 THK  
PER MIL-S-5059 OR AMS 5513/5524 OR ASTM A240 OR ASME SA240  
REF. DART SPEC. M304S11GA OR M303S11GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY AT ASSEMBLY
- 7) WEIGHT:  
- D4151-1 = 0.24 lbs  
- D4151-3 = 0.23 lbs

DESIGN		<b>DART AEROSPACE LTD</b>
DRAWN		HAWKESBURY, ONTARIO, CANADA
CHECKED		DRAWING NO. <b>D4151</b> REV. C
MFG. APPR.		SHEET 2 OF 3
APPROVED		TITLE <b>BASKET FWD HARDPOINT</b> SCALE NTS
DE APPR.		
DATE	10.12.14	

COPYRIGHT © 2010 BY DART AEROSPACE LTD  
THIS DOCUMENT IS UNCLASSIFIED AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD





1.250

CHAMFER  
0.09 X 45°

1.250

0.625  
RFF



Technical drawing of a mechanical part, likely a bush or sleeve, showing dimensions and tolerances.


Dimensions and Tolerances:

- Top width:  $0.800^{+0.000}_{-0.010}$
- Total height:  $1.88$
- Bottom section height:  $0.88$
- Central hole diameter:  $\varnothing 0.734^{+0.010}_{-0.000}$
- Chamfer:  $0.09 \times 45^\circ$
- Top flange thickness:  $0.225$

The drawing is symmetrical about a vertical centerline, indicated by the "SYMM" symbol.

RELEASED  
2011-05-13  
RELEASED

2) FINISH: NONE  
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED  
4) UNITS: INCHES UNLESS OTHERWISE NOTED  
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX  
6) IDENTIFICATION: IDENTIFY AT ASSEMBLY  
7) WEIGHT -5: 0.36 lbs  
-7: 0.70 lbs

DESIGN		<b>DART AEROSPACE LTD</b>	
DRAWN		HAWKESSBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. C
MFG. APPR.		<b>D4151</b>	SHEET 3 OF 3
APPROVED		TITLE	SCALE
DE APPR.		<b>BASKET FWD HARDPOINT</b>	NTS
DATE	<b>10.12.14</b>	COPYRIGHT © 2010 BY DART AEROSPACE LTD NO OTHER REPRODUCTION OR TRANSMISSION IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, IS PERMITTED WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD.	



# Receiving Report

Date: 12/03/31 Batch No: M61921  
 Supplier: MEGA-X OSTE Dart P/O: 16991

Packing Slip: Yes ☒ No ☐  
 Invoice: Yes ☐ No ☒  
 Receipt: Cash ☐ Cr ☒  
 Release Note Attached: Yes ☒ No ☐ N/A ☐  
 Waybill Attached: Yes ☒ No ☐  
 Shipment Complete: Yes ☒ No ☐ N/A ☐  
 QC6 Inspection 12/03/31 N/A ☐  
 Work Order 12/03/31 N/A ☒

## Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
215EM	BO.					

Initials of receiver (if shipment OK) Level 12 [Signature]

Production/Admin: 12/03/31  
 Date  
 Received/Costing  
 Initial

Location \_\_\_\_\_



**Castle Metals®**

A. M. Castle &amp; Co.

BORDEREAU DE MARCHANDISES

Page 1 of 1

No de Formulaire d'Emballage / Shipment No: 1329904

<b>Expédié de / Ship From:</b> A. M. Castle & Co. (Canada) Inc. MONTREAL 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		<b>Vendu à / Sold To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		<b>Expédié à / Ship To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN		<b>Livré à / Deliver To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA			
<b>Date d'expédition / Date Shipped</b> 29-MAY-2012		<b>F.O.B.</b> ORIGIN		<b>Modalités de transport / Freight Terms</b> Prepaid		<b>Transporteur / Carrier</b> MANITOULIN		<b>No du Bon de connaissance / BOL No</b> 1329904-2	

<b>Détails d'expédition / Shipment Details</b>	<b>Destination finale / Final Destination Branch - MON</b>
--	--

<b>N° de commande / Order No</b> 2202869	<b>N° de ligne / Line No</b> 2	<b>N° d'article / Item No</b> 66090.BO	<b>Description</b> 1.7500.2.0000:FLAT.303.STAINLESS.144.0000 SPECIFICATIONS: ASTM A582				
<b>N° de bon de commande / Purchase Order No</b> 16991		<b>Nbre de pièces / Part Number</b>		<b>Qté commandée / Ordered Qty</b> 285.60 LBS		<b>Qté Facturée / Invoice Qty</b> 23.1667 FT	
<b>Détails / Details</b> ASTM A582							
<b>N° de livraison / Delivery No :</b> 117655368	<b>Usine / Mill</b>	<b>No de coulée / Heat Number</b> A11817	<b>Code méc / Mech Id</b>	<b>Pièces / PCS</b> 2.0	<b>Largeur (Pouce) / Width (IN)</b>	<b>Longueur (Pouce) / Length (IN)</b> 139	<b>Qté expédiée / Shipped Qty(LBS)</b> 276

Ces marchandises/technologies sont sujettes aux règlements de l'Export Administration et du département d'état des États-Unis. Si elles ont été/sont exportées, elles doivent se conformer à ces règlements. Toute modification du contrat de transport contraire aux lois des États-Unis est interdite.  
These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

Nous certifions par la présente que le matériel couvert par cette certification est conforme aux spécifications susmentionnées et aux exigences applicables pour le matériel, y compris toute spécification faisant partie de la description. Les rapports d'essai sont archivés pour fins de consultation. Toute requête concernant du matériel défectueux sera rejetée à moins qu'elle ne soit faite par écrit à A. M. Castle & Co. dans les 60 jours suivant la livraison. Le matériel coupé sur mesure ou coupé par le client ne peut être retourné pour crédit.  
We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Ce matériel a été reçu et inspecté par Reviewed by Authorized Castle Metals Representative:	Date:	Name:
--	-------	-------



575 STATE FAIR BLVD.  
SOLVAY, NY 13209

# Item 66090.30 P0 15581 111 Certificate of Test

**SOLD TO**  
FRY STEEL COMPANY  
13325 MOLETTE ST  
SANTA FE SPRINGS, CA 90670

**SHIP TO**  
FRY STEEL COMPANY  
13325 MOLETTE ST  
SANTA FE SPRINGS, CA 90670

OUR ORDER NO.  
P5-23139-1-01

DATE  
12/21/11

SHIPPED FROM  
SYRACUSE

CUSTOMER ORDER NO  
46642-18/S29450

CUSTOMER REQ NO

DISTRICT  
L HINMAN

## DESCRIPTION OF MATERIAL

CRU 303 PLUS HRAP  
AMS-5640-U (TYPE I) (EX FIN) ASTM-A484-11 ASTM-A582-5  
MIL-S-7720-AMD. 1 QQS-763-C COND A QQS-764-B (OBSOLETE) (COND A)

## HEAT NO.

A11817

## CHEMICAL ANALYSIS

C	MN	P	S	SI	NI	CR	MO	CU
.066	1.68	.032	.300	.58	8.92	17.34	.47	.38

## QUANTITY HEAT NO.

2142 # A11817  
1 BDL

## MECHANICAL PROPERTIES

TENSILE PSI	YLD.2%PSI	%ELONG4D	RED/AREA%	HARDNESS
82,820	38,850	61.9	65.8	BHN 145/ 152

MACRO TEST OK

## Castle Metals Mon

HEAT NUMBER A11817  
MECHANICAL ID                       
ITEM CODE 66090.30  
LOT NUMBER M 102677  
PO NUMBER 15581  
RECEIPT DATE 5-29-12  
SUPPLIER Fry Steel  
SPECIFICATION ASTM A582  
LCS                       
COMMENT                       
APPROVED                     

FRY STEEL CO. CERTIFIES THAT THIS IS  
A TRUE COPY OF THE ORIGINAL MILL TEST  
REPORT NOW ON FILE  
RECEIVED AND INSPECTED

DEC 29 2011

BY Chip Bandoval  
CHIP BANDOVAL - Q.C. MANAGER

THANK YOU FOR SELECTING A QUALITY PRODUCT MELTED AND MANUFACTURED WITH PRIDE AT CRUCIBLE INDUSTRIES LLC LOCATED IN SOLVAY, NY 13209, USA. WE PROVIDE MATERIAL THAT IS FREE FROM MERCURY CONTAMINATION AND RADIATION AT THE TIME OF SHIPMENT. NO WELD REPAIR IS DONE. CRUCIBLE INDUSTRIES LLC HOLDS A CERTIFICATE OF REGISTRATION TO ISO 9001:2008. PRESSURE EQUIPMENT DIRECTIVE (PED) 97/23/EC 7/2 ANNEX 1, PARAGRAPH 4.3 AND WORKS UNDER THE GUIDELINES OF NCA 3800 USING QP MANUAL DATED 3/10/11. WE ARE COMPLIANT WITH EU DIRECTIVE 2002/95/EC (ROHS), REACH, EN 10204 2004 3.1, AND DFARS 252-225.7014 ALT.1 & 225.7001, 7002 - 3 (b) (1) MATERIAL IS OF NAFTA ORIGIN. MATERIAL TESTING IS PERFORMED ON A PROLONGATION OF THE BAR IN COMPLIANCE WITH INDUSTRY STANDARDS ASTM A370, E8, E10, E18, E23, E45, E112, E381, E604, E572, E1019, AND E1086. THE RECORDING OF FALSE, FICTITIOUS OR FRAUDULENT STATEMENTS ON THIS DOCUMENT MAY BE PUNISHED AS A FELONY UNDER FEDERAL STATUTES, INCLUDING FEDERAL LAW, TITLE 18, CHAPTER 47 PRODUCTS, TECHNICAL DATA, TECHNOLOGY, AND SERVICES OF CRUCIBLE INDUSTRIES LLC ARE SUBJECT TO U.S. EXPORT CONTROLS UNDER THE APPLICABLE LAWS AND REGULATIONS OF THE UNITED STATES.

THE ABOVE MATERIAL WAS MANUFACTURED AND TESTED ACCORDANCE WITH ABOVE SPECIFICATIONS AND IS IN CONFORMANCE WITH THE SPECIFICATION REQUIREMENTS.

CRUCIBLE INDUSTRIES LLC

CERTIFIED BY

William P. Mastroe

WILLIAM MASTROE - MANAGER QUALITY CONTROL & LABS



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO16991

Purchase Order Date 5/16/12

PO Print Date 5/16/12

Page Number 1 of 2

Order From :

VC-MET001

METAUX CASTLE  
A.M. CASTLE & CO. (CANADA) INC. - BOX B9204 PO BOX 9100  
TORONTO, ON M4Y 3A5  
CA

Contact Name

Vendor Phone 514 694 9575

Vendor Fax 514 695 3281

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr 10127-2607

Terms

Net 30

Currency


CAD

FOB

Destination-Collect

Ship To :

DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA



Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M303B1.000X2.000 000	303 BAR 1" X 2"	5/31/12 Yes	12.00 f	Yours ppd	\$69.2700	\$831.24
Special Inst:			MATERIAL: AISI 303 SS BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT ACCEPTABLE				
2	M303B2.000X1.750	303 BAR 2" X 1.750"	5/31/12 Yes	24.00 f	Yours ppd	\$95.2300	\$2,285.52
Special Inst:			MATERIAL: AISI 303 SS BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT ACCEPTABLE				
3	M303R2.000	303 ROUND BAR 2"	5/25/12 Yes	12.00 f	Yours ppd	\$29.8100	\$357.72
Special Inst:			MATERIAL: AISI 303 ROUND BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT ACCEPTABLE				

No substitution or deviation without  
consent.  
Certificate of Conformity or Material  
Certification required when applicable

Change Nbr: 1

Change Date: 5/16/12



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO16991

Purchase Order Date 5/16/12

PO Print Date 5/16/12

Page Number 2 of 2

Order From :

VC-MET001

METAUX CASTLE  
A.M. CASTLE & CO. (CANADA) INC. - BOX B9204 PO BOX 9100  
TORONTO, ON M4Y 3A5  
CA

Contact Name

Vendor Phone

514 694 9575

Vendor Fax

514 695 3281

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

4	M304B0.250x0.500	304 BAR .250 x .500	5/25/12 Yes	500.00 f	Yours ppd	\$2.4300	\$1,215.00
---	------------------	---------------------	----------------	-------------	-----------	----------	------------

Special Inst:

AISI 304/316 SS BAR OR AISI 304/316 SS  
PLATE  
PER ASTM A276 OR ASTM A240  
NOTE:(303 NOT ACCEPTABLE)

5	M304B1.000X1.000	304 bar 1.00 x 1.00	5/31/12 Yes	12.00 f	Yours ppd	\$25.6100	\$307.32
---	------------------	---------------------	----------------	------------	-----------	-----------	----------

Special Inst:

AISI 304/316 SS BAR OR AISI 304/316 SS  
PLATE  
PER ASTM A276 OR ASTM A240  
NOTE:(303 NOT ACCEPTABLE)

PO Total:

\$4,996.80

MATERIAL CERTIFICATION  
REQ'D UPON DELIVERY

Change Nbr:

1

Change Date: 5/16/12

No substitution or deviation without  
consent.  
Certificate of Conformity or Material  
Certification required when applicable